




TECHNICAL DATA

		C 200 H M204	C 200 H x4 M205
GENERAL			
Load capacity to 500 mm	Kg	2000	2000
Load capacity to 600 mm	Kg	1835	1835
Unladen weight *	Kg	4200	4200
Transmission			
MAST		2-speed hydrostatic	2-speed hydrostatic
Fork carriage		FEM 2	FEM 2
Carriage width	mm	1260/1660	1260/1660
ENGINE			
Make		KUBOTA	KUBOTA
Model		V2403	V2403
Power	kW	36,5	36,5
Operating speed	rpm	2600	2600
Torque	Nm@rpm	158,6@1600	158,6@1600
No. cylinders		4	4
Emissions		Tier4i, Stage IIIA	Tier4i, Stage IIIA
Ambient noise	dB(A)	104	104
Consumption	l/h	5,9	5,9
CO ₂	Kg/h	15,3	15,3
DRIVING			
Max. speed	Km/h	22	22
Gradability	%	25	25
Traction		4x2	4x4 FullGrip®
Front tyres		12-16.5	12-16.5
Rear tyres		7.00-12	10.0/75-15.3
HYDRAULIC SYSTEM			
Hydraulic circuit	l/min	42	42
Working pressure	bar	180	180
TANK CAPACITY			
Fuel	l	50	50
Hydraulic	l	40	40
BRAKES			
Service		Hydraulic, multi-disc and sealed	Hydraulic, multi-disc and sealed
Parking		Mechanical, multi-disc and sealed	Mechanical, multi-disc and sealed

* It may change due to optional equipment

DIMENSIONS

TYPE OF MAST	Maximum lift (mm)	H		Free lift (mm)	Load at maximum height (kg)	
		Retracted mast height (mm)	Extended mast height (mm)		Narrow axle	All-terrain use Wide axle
Duplex mast (Std.)	3300	2395	4150	120	2000	-
Triplex mast	3700	2045	4590	1130	1800	-
Triplex mast	4300	2230	5230	1330	1180	1800
Triplex mast	5400	2610	6295	1680	-	1100



DIMENSIONS (mm)	C 200 H	C 200 H x4
A	2140	2130
B	220	210
C	300	285
D	1383	1465
E	1515	1515
E**	1775	1775
F	2950	3970
G	2710	2770
I	100	100
J	40	40
K	639	625
L	4253	4236
M	561	561
N	1850	1850
O	1200	1200
P	4989	5995
Q	12	12
R	12	12
S	1200	1200
S***	1600	1600

** Measured with high-lift mast installed ***Measured for wide axle carriage



www.ausa.com

Products are subject to modifications without prior notice. Images throughout the spec sheet may refer to non-standard machines or non-available configurations depending on models.

AUSA's logo and corporate identity are property of the Company, they cannot be used without authorization.